

73079-6

11/28/2012

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

NOV 28 2012

OFFICE OF
CHEMICAL SAFETY
AND POLLUTION PREVENTION

Mr. Todd J. Fleischmann
Rockwell Labs Ltd.
1257 Bedford Avenue
North Kansas City MO 64116

Subject: Label Notification(s) for Pesticide Registration 98-10

Dear Mr. Fleischmann

Subject: Notification to Make Label Changes
EPA Registration Number: 73079-6
Date of Submission: May 18, 2012

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated May 18, 2012 for the product InTice™ 10 Perimeter Bait™. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The Confidential Statement of Formula (CSF) and/or label submitted with the application has (have been stamped "Notification" and will be placed in our records.

If you have any questions, please contact Melody Banks on 703 305-5413 or via email @ banks.melody@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Richard A. Gebken".

Richard Gebken
Product Manager
Insecticide Branch
Registration Division (7504P)

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

Print Form



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 73079-06	2. EPA Product Manager Kimberly Nesci	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Rockwell Labs Ltd/InTice(TM) 10 Perimeter Bait(TM)	PM# 11	
5. Name and Address of Applicant (Include ZIP Code) 1257 Bedford Avenue North Kansas City, MO 64116 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>NOV 28 2012</u> Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of additional packaging options for InTice(TM) 10 Perimeter Bait(TM), and subsequent Storage and Disposal directions for the representative packaging options.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Metal <input checked="" type="checkbox"/> Plastic Glass Paper Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Todd J. Fleischmann	Title Chemical Reg. Specialist	Telephone No. (Include Area Code) (816) 268 5635
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature	3. Title Chemical Regulatory Specialist	
4. Typed Name Todd J. Fleischmann	5. Date May 18, 2012	

May 18, 2012

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202-4501

Re: InTice™ 10 Perimeter Bait™
Notification of additional packaging options and subsequent storage and disposal directions.

To Whom This Concerns:

This notification is to address the addition of packaging options for InTice™ 10 Perimeter Bait™ and the relevant changes to the Storage and Disposal directions to accommodate these packing changes. We have added the following statements to the Storage and Disposal section:

For 50 lb carton, 40 lb carton, 20 lb pail, 10 lb bag, 5 lb bag:

For 4 lb spreader jug, 1 lb shaker bottle:

This storage/application container may be refilled by the end-user of the product. Refill only with InTice™ 10 Perimeter Bait™.

There are currently no additional changes to this product label other than those listed above.


Enclosed please find the following documents in support of this notification:

1. Application for Registration (EPA Form 8570-1)
2. Copy of the product label with the above mentioned changes
3. Two copies of the final 1 lb printed label for your records

This notification is consistent with the provision of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA

Thank you for your assistance on this matter and should you have any questions or comments please contact me at 816 268 5635.

Sincerely,



Todd J. Fleischmann
Chemical Regulatory Specialist

InTice 10 Perimeter Bait (logo)

Green Zone (logo)

Kills Roaches, Crickets, Mole Crickets, Sowbugs, Pill Bugs, Earwigs, Silverfish, Millipedes and Ants*

*Except Pharaoh ants, Carpenter Ants, Fire ants, Harvester ants

NOTIFICATION

NOV 28 2012

For Indoor, Outdoor and Turf Use
Mold and Moisture Resistant
Ready-to-Use Bait

Active Ingredient: Orthoboric Acid.....	10%	EPA Reg. No. 73079-6
Other Ingredients.....	90%	EPA Est. No. 73079-MO-1
Total.....	100%	Net Contents: 10 lbs

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product or label with you when calling a Poison Control Center or doctor or going for treatment. In case of emergency, for additional information call **800 858 7378**.

Environmental Hazards: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions

In food areas of restaurants, residential, health care, educational, daycare, agricultural buildings, animal rearing and handling establishments, food handling and food processing establishments,

this product may only be applied as a crack and crevice treatment. Any product remaining outside of cracks and crevices must be cleaned up and removed.

Application Directions

Use Sites: In and around residential, multi-family, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, home greenhouses, transport vehicles, sewers, animal rearing and handling establishments and food handling and food processing establishments. Turf sites include lawns, landscape beds, ornamental turf, parks, playing fields, right-of-ways, golf courses and home greenhouses.

Outdoor Application: Apply bait evenly over the affected area using a hand shaker or mechanical spreader at a rate of 1 lb per 1000 square feet or 45 lbs per acre. The product should not be watered in. For mole cricket treatments, results will be best if the area is irrigated prior to bait treatment. Mole crickets typically come to the surface to feed in the evening. Individual ant mounds may be treated by sprinkling 1/2 oz of product around each mound. Repeat treatment as needed. Apply bait early in the season in areas likely to be infested, such as flower, fruit and vegetable gardens, on ornamental turf and ground cover vegetation, and around shrubs. In home greenhouses, apply bait at a rate of 3 oz per 100 sq ft on and under benches. Do not apply bait directly in flats or pots. Reapply as needed.

Sewer Application: Apply bait along ledges inside sewers and around manhole covers.

Indoor Application: Apply bait only in areas inaccessible to children and pets, or in tamper-resistant bait stations. Apply bait at a rate of 3 oz (2/3 cup) per 100 square feet. Using a hand shaker or duster, apply bait in attics, crawl spaces, trash closets, utility closets, dropped ceilings, on dirt or gravel cellar floors, under and behind appliances and vending machines, in wall voids and voids under and behind cabinets, sinks and tubs, in drawer wells, garbage chutes, pipe chases, elevator pits, around drains, around electrical conduits and in cracks and crevices where insects may harbor. Focus application in areas where insects or their signs are seen. Reapply bait after one week if infestation is still present. A power duster may be used to apply bait in appropriate areas, such as attics and crawlspaces. The duster manufacturer's recommendations for settings should be followed.

Application tips for certain sites follow:

- 1. In attics, be sure to get bait near the eaves and vent pipes where insects often first enter, as well as around any pipes or potential access points between the attic and the main structure. Attics should have proper ventilation to insure that no food odor from the bait seeps into the

living area, particularly in hot weather. If in doubt, apply the product in a manner such that it can be easily removed.

2. When treating cabinetry areas, if there is no gap between the lower cabinets and the kickplate, then small holes can be drilled to access the voids. Escutcheon plates around pipes can also be pulled back to allow access to voids.
3. The bottom drawers in kitchen and bathroom cabinets can be removed and bait dusted into drawer wells. No bait should be left exposed when drawers are replaced.
4. Electrical switch plate covers can be removed to allow access to voids, but bait shouldn't be applied directly in electrical boxes.
5. If there are cracks between baseboards, cabinets, door frames, hinges, counters or trim, and walls, these cracks can be lightly dusted with bait. If practical, these areas can be sealed once insect problems have been eliminated, to help prevent future problems.
6. Insects need moisture, so kitchen and bath areas and areas immediately surrounding them, and any other damp areas should be carefully inspected and treated if necessary. As a separate matter from the use of this product, it is advisable to fix any leaks to minimize structural damage and odors, and to prevent potential chronic insect problems.

To help prevent insect problems from developing in homes and similar structures, a preventative program is recommended. Once per year, apply bait in attics and crawlspaces at a rate of 8 oz per 1000 square feet.

Food Processing and Handling Establishment Application, including Federally-Inspected Meat and Poultry Plants: Follow instructions for other sites as appropriate. **In food areas, only apply bait in cracks, crevices, and other inaccessible areas.** Avoid contamination of food and feedstuffs. Never apply bait directly to a surface where food is stored, prepared or served. Any bait that is left visible after treatment should be swept into cracks and crevices or removed.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a dry place. Do not store where children or animals may gain access.

For 50 lb carton, 40 lb carton, 20 lb pail, 10 lb bag, 5 lb bag:

Disposal: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership.

For 4 lb spreader jug, 1 lb shaker bottle:

This storage/application container may be refilled by the end-user of the product. Refill only with InTice™ 10 Perimeter Bait™.

Disposal: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or **1-800-CLEANUP** which is managed as a public-private partnership.

Conditions of Warranty and Limitations of Liability

IMPORTANT: READ BEFORE USE Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Manufacturer. All such risks shall be assumed by the user or buyer. **DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, Manufacturer makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Manufacturer is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Manufacturer disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product. **LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Manufacturer's election, the replacement of product.

Manufactured By: Rockwell Labs Ltd (logo)
North Kansas City, MO 64116
Toll Free: 866 788 4101 • www.rockwelllabs.com

counters or trim, and walls, these cracks can be lightly dusted with bait. If practical, these areas can be sealed once insect problems have been eliminated, to help prevent future problems.

6. Insects need moisture, so kitchen and bath areas and areas immediately surrounding them, and any other damp areas should be carefully inspected and treated if necessary. As a separate matter from the use of this product, it is advisable to fix any leaks to minimize structural damage and odors, and to prevent potential chronic insect problems.

To help prevent insect problems from developing in homes and similar structures, a preventative program is recommended. Once per year, apply bait in attics and crawlspaces at a rate of 8 oz per 1000 square feet.

Food Processing and Handling Establishment Application, including Federally-Inspected Meat and Poultry Plants: Follow instructions for other sites as appropriate. In food areas, only apply bait in cracks, crevices, and other inaccessible areas. Avoid contamination of food and feedstuffs. Never apply bait directly to a surface where food is stored, prepared or served. Any bait that is left visible after treatment should be swept into cracks and crevices or removed.

Storage and Disposal
Do not contaminate water, food or feed by storage or disposal.
Storage: Store in a dry place. Do not store where children or animals may gain access.

This storage/application container may be refilled by the end-user of the product. Refill only with Intice™ 10 Perimeter Bait™.

Disposal: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership.

Conditions of Warranty and Limitations of Liability
IMPORTANT: READ BEFORE USE Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Manufacturer. All such risks shall be assumed by the user or buyer. **DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, Manufacturer makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Manufacturer is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Manufacturer disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product. **LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Manufacturer's election, the replacement of product.

Intice, Perimeter Bait, Green Zone and Creating the Future of Pest Control are trademarks of Rockwell Labs Ltd. ©2012, Rockwell Labs



Intice™

perimeter bait

Kills Roaches, Crickets, Mole Crickets, Sowbugs, Pillbugs, Earwigs, Silverfish, Millipedes & Ants
E.g., German Ants, Carpenter Ants, Fire Ants, Harvest Ants

For Indoor, Outdoor, & Turf Uses
Mold & Moisture Resistant - Ready-to-Use Bait

Active Ingredient: Orthoboric Acid 10%
Other Ingredients: 90%
Total: 100%
EPA Reg. No. 73079.6 • EPA Est. No. 73079-MD-1

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS
Hazardous to Humans and Domestic Animals: CAUTION - Harmful if swallowed. Irritation to the skin, eyes, nose, throat, and mucous membranes. Avoid contact with skin, eyes, nose, mouth, and mucous membranes. Avoid drinking, chewing gum, using tobacco or using the toilet.

First Aid
If in eyes: Flush eyes open with lots of water and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first flushing. Flush the contaminated clothing.

Environmental Hazards: Do not apply directly to water, to areas where surface water is present, or to areas adjacent to bodies of water. Do not contaminate water when disposing of empty or partially empty containers.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions
In food areas of restaurants, health care, educational, daycare, agricultural buildings, animal rearing and handling establishments, food processing and food handling establishments, this product may only be applied as a crack and crevice treatment. Any product remaining outside of cracks and crevices must be cleaned up and removed.

Application Directions
Use Sites: In and around residential, multi-family, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, home greenhouses, transport vehicles, sewers, animal rearing and handling establishments and food handling and food processing establishments. Turf sites include lawns, landscape beds, ornamental turf, parks, playing fields, right-of-ways, golf courses and home greenhouses.

Outdoor Application: Apply bait evenly over the affected area using a hand shaker or mechanical spreader at a rate of 1 lb per 1000 square feet or 45 lbs per acre. The product should not be watered in. For mole cricket treatments, results will be best if the area is irrigated prior to bait treatment. Mole crickets typically come to the surface to feed in the evening. Individual ant mounds may be treated by sprinkling 1/2 oz of product around each mound. Repeat treatment as needed. Apply bait early in the season in areas likely to be infested, such as flower, fruit and vegetable gardens, ornamental turf and ground cover vegetation, and around shrubs. In home greenhouses, apply bait at a rate of 3 oz per 100 sq ft on and under benches. Do not apply bait directly in flats or pots. Reapply as needed.

Sewer Application: Apply bait along ledges inside sewers and around manhole covers.

Indoor Application: Apply bait only in areas inaccessible to children and pets, or in tamper-resistant bait stations. Apply bait at a rate of 3 oz (2/3 cup) per 100 square feet. Using a hand shaker or duster, apply bait in attics, crawl spaces, trash closets, utility closets, dropped ceilings, on dirt or gravel cellar floors, under and behind appliances and vending machines, in wall voids and voids under and behind cabinets, sinks and tubs, in drawer wells, garbage chutes, pipe chases, elevator pits, around drains, around electrical conduits and in cracks and crevices where insects may harbor. Focus application in areas where insects or their signs are seen. Reapply bait after one week if infestation is still present. A power duster may be used to apply bait in appropriate areas, such as attics and crawlspaces. The duster manufacturer's recommendations for settings should be followed.

Application tips for certain sites follow:

1. In attics, be sure to get bait near the eaves and vent pipes where insects often first enter, as well as around any pipes or potential access points between the attic and the main structure. Attics should have proper ventilation to insure that no food odor from the bait seeps into the living area, particularly in hot weather. If in doubt, apply the product in a manner such that it can be easily removed.
2. When treating cabinetry areas, if there is no gap between the lower cabinets and the kickplate, then small holes can be drilled to access the voids. Escutcheon plates around pipes can also be pulled back to allow access to voids.
3. The bottom drawers in kitchen and bathroom cabinets can be removed and bait dusted into drawer wells. No bait should be left exposed when drawers are replaced.
4. Electrical switch plate covers can be removed to allow access to voids, but bait shouldn't be applied directly in electrical boxes.
5. If there are cracks between baseboards, cabinets, door frames, hinges,

Net Contents: 1 lb
Rockwell Labs Ltd
CREATING THE FUTURE OF PEST CONTROL

Manufactured By:
North Kansas City, MO 64116
toll free: 866 788 4101 • www.rockwelllabs.com